

Furnizor: **Sc Trivolt Distribution SRL**
Reg. com.: J23/3300/2016
CIF: RO36421140
Adresa: Strada Apusului nr 3 (primul
sens giratoriu Tehodor Pallady-
Autostrada Soarelui), Catelu, Ilfov
Banca: BRD
IBAN: RO34BRDE441SV13182234410



IEK CLEMA SMK 228-415 (50PCS)

The terminals blocks of series 228 IEK are designed for connecting solid and stranded wires with a cross section of 0.2 to 4 mm². Installation does not require the use of tools. The body of the terminals is made of self-extinguishing plastic, the spring plate is made of stainless steel, the contact part of the terminals is made of copper (99.9%). Installation without tools.

Improved current conductivity.

Reusable use.

Transparent body.

Two test holes for measuring voltage. Number of clamp positions: 5

Nominal cross section: 4

Cable diameter: ≤ 2

Colour: EV000234

Nominal voltage: 450

Nominal current: 32

Connectable conductor cross section fine-strand without cable end sleeve: 0,2...4

Connectable conductor cross section solid-core: 0,2...4

Connectable conductor cross section multi-wired: 0,2...4

Type of electrical connection: EV005755

Type of electrical connection 2: EV005755

Connection position: EV007594

Operation temperature: -25...90

Length: 19.2

Nominal operating AC voltage U_e: 450

Degree of protection (IP): EV006405

Mechanical Execution Group: EV009088

Width: 30.4

Height: 10.4

Relative air humidity: ≤ 90%

Maintainability: EV000494

Ambient class: IEK V0000006

Pret: 0,00 lei (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/clema-smk-228-415-50pcs-312550>