



**SCHNEIDER DISJUNCTOR MOTOR GV5 - 3 POLI 3D - 132 - 220 A - UNIT. DECL. TERMOMAGNETICA**

<b>range</b>	TeSys TeSys Deca
<b>range of product</b>	TeSys GV5
<b>device short name</b>	GV5P
<b>product name</b>	TeSys GV5 TeSys Deca
<b>product or component type</b>	Motor circuit breaker
<b>device application</b>	Motor protection
<b>trip unit technology</b>	Electronic
<b>utilisation category</b>	Category A conforming to IEC 60947-2
<b>motor power kW</b>	90...110 kW at 400/415 V AC 50/60 Hz 110 kW at 500 V AC 50/60 Hz
<b>breaking capacity</b>	36 kA Icu at 400/415 V AC 50/60 Hz conforming to IEC 60947-2 30 kA Icu at 500 V AC 50/60 Hz conforming to IEC 60947-2 8 kA Icu at 660/690 V AC 50/60 Hz conforming to IEC 60947-2
<b>[Ics] rated service short-circuit breaking capacity</b>	100 % at 400/415 V AC 50/60 Hz conforming to IEC 60947-2 100 % at 500 V AC 50/60 Hz conforming to IEC 60947-2 100 % at 660/690 V AC 50/60 Hz conforming to IEC 60947-2

<b>control type</b>	Direct rotary handle
<b>magnetic tripping current</b>	3300 A
<b>power dissipation per pole</b>	17.6 W

<b>mechanical durability</b>	20000 cycles
<b>maximum operating rate</b>	25 cyc/h
<b>height</b>	161 mm
<b>width</b>	105 mm
<b>depth</b>	155 mm
<b>net weight</b>	2.6 kg

#### Environment

<b>standards</b>	EN/IEC 60947-1
	EN/IEC 60947-2
	EN/IEC 60947-4-1
	UL 60947-4-1
	CSA C22.2 No 60947-4-1

Pret: 2.416,79 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/disjunctor-motor-gv7-re-3-poli-3d-132-220-a-unit-decl-termomagnetica-103255>