





**STEINEL SENZOR DE MISCARE PROFESIONAL, DETECTIE CU INFRAROSU, 16MP
4X4M,IP54,COM 1 AP**


Senzor de miscare profesional, detectie cu infrarosu, ideal pentru cladiri publice.

Ideal pentru mo de 16 mp 4 x 4 ml,cum ar fi birouri,sali de clasa.




Inaltimea recomandata de montaj este de 2.5-8 metri

Ungiul de detectie este 360 grade pe o lungime de 7 x 7 metri(zona detectie tangentiala)



Produs din material plastic rezistent la ultraviolete cu finisaje superioare si dimensiuni relativ reduse
120x70x65mm



Optional se poate achiziționa o telecomanda pentru setari multiple.



Tensiune la 230V conexiune conductor de maxim 2.5mmp

Putere 2000W , pentru surse fluorescente max 1000Va

Senzor sytem : 13 nivele de sensibilitate, 1760 zone

Reglaj detectie in functie de luminozitate intre 10 - 1000 lux.

Reglaj timp functionare dupa detectia miscarii intre 5 secunde - 15 minute

temperatura de functionare intre -20 + 50grade celsius

Grad de protectie IP54, permite functionarea la interior

Posibilitate montaj in sistem DALI cu reglaj 1-10 V

Pret: 500,62 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/senzor-de-miscare-profesional-detectie-cu-infrarosu-16mp-4x4m-ip20-com-1-ap>