



AIRFAL RINOX CORP DE ILUMINAT 1 X 54W 1.242MM 100MM

Corpul din policarbonat UV de 3,5 mm grosime

Reflector lucios din aluminiu

Sistem de inchidere cu surub si garnitura din elastomer termoplastic.

Suruburi de prindere inoxidabile

Putere: 220-240V, 50-60Hz

Tip LampaT5

IP 68 (lampa poate fi scufundata la 2 m adancime)

Rezistenta antivandalism: IK-10

Functionare la temperaturi : -15°C la + 55°C

Accesorii incluse: 2 cleme din o?el inoxidabil




| RINOX T5 1 LAMPE / 2 LAMPES | | | |
|-----------------------------|--------|--------|--------------------|
| PUISSANCE (W) | L (mm) | D (mm) | EMBALLAGE (unités) |
| HAUTE ÉFFICACITÉ | | | |
| 14 | 570 | 96 | 6 |
| 21 | 869 | 96 | 6 |
| 28 | 1169 | 96 | 6 |
| 35 | 1469 | 96 | 6 |
| FLUX ÉLEVÉ | | | |
| 24 | 570 | 96 | 6 |
| 39 | 869 | 96 | 6 |
| 49 | 1469 | 96 | 6 |
| 54 | 1169 | 96 | 6 |
| 80 | 1469 | 96 | 6 |

1 LAMPE

Aplicatii: zone

le productie, aer liber.





Pret: 784,34 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/rinox-corp-de-iluminat-1-x-54w-1-242mm-100mm-30977>