



AIRFAL RINOX CORP DE ILUMINAT 2 X 49W 1.542MM 100MM

Corpul din policarbonat UV de 3,5 mm grosime

Reflector lucios din aluminiu

Sistem de inchidere cu surub si garnitura din elastomer termoplastic.

Suruburi de prindere inoxidabile

Putere: 220-240V, 50-60Hz


Tip LampaT5

IP 68 (lampa poate fi scufundata la 2 m adancime)

Rezistenta antivandalism: IK-10

Functionare la temperaturi : -15°C la + 55°C

Accesorii incluse: 2 cleme din o?el inoxidabil




RINOX T5 1 LAMPE / 2 LAMPES			
PUISSANCE (W)	L (mm)	D (mm)	EMBALLAGE (unités)
HAUTE ÉFFICACITÉ			
14	570	96	6
21	869	96	6
28	1169	96	6
35	1469	96	6
FLUX ÉLEVÉ			
24	570	96	6
39	869	96	6
49	1469	96	6
54	1169	96	6
80	1469	96	6

Aplicatii: zone

2 LAMPES

productie, aer liber.





Pret: 984,03 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/rinox-corp-de-iluminat-2-x-49w-1-542mm-100mm-30992>