



### **AIRFAL RESIST CORP DE ILUMINAT 1 X 18W 709MM 83MM**

Corpul din policarbonat UV de 3,5 mm grosime

Reflector lucios din aluminiu

Sistem de inchidere cu surub si garnitura din elastomer termoplastic.

Suruburi de prindere inoxidabile

Putere: 220-240V, 50-60Hz

Tip LampaT8

IP 68 (lampa poate fi scufundata la 2 m adancime)

Rezistenta antivandalism: IK-10

Functionare la temperaturi : -20°C la + 55°C

Accesorii incluse: 2 flanse din policarbonat



Aplicatii: zone cu umiditate ridicata, statii de metrou, tuneluri, hale de productie, aer liber.



| RESIST T8 1 TUBO / 2 TUBOS |        |        |
|----------------------------|--------|--------|
| POTENCIA (W)               | L (mm) | D (mm) |
| 18                         | 709    | 83     |
| 36                         | 1319   | 83     |
| 58                         | 1624   | 83     |

| RESIST T5 1 TUBO / 2 TUBOS |        |        |
|----------------------------|--------|--------|
| POTENCIA (W)               | L (mm) | D (mm) |
| <b>ALTA EFICACIA</b>       |        |        |
| 14                         | 671    | 83     |
| 21                         | 966    | 83     |
| 28                         | 1272   | 83     |
| 35                         | 1574   | 83     |
| <b>ALTO RENDIMIENTO</b>    |        |        |
| 24                         | 671    | 83     |
| 39                         | 966    | 83     |
| 49                         | 1574   | 83     |
| 54                         | 1272   | 83     |
| 80                         | 1574   | 83     |



Pret: 535,66 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/resist-corp-de-iluminat-1-x-18w-709mm-83mm-31100>