



AIRFAL RESIST CORP DE ILUMINAT 1 X 28W 1.272MM 83MM

Corpul din policarbonat UV de 3,5 mm grosime

Reflector lucios din aluminiu

Sistem de inchidere cu surub si garnitura din elastomer termoplastic.

Suruburi de prindere inoxidabile

Putere: 220-240V, 50-60Hz

Tip Lampa T 5

IP 68 (lampa poate fi scufundata la 2 m adancime)

Rezistenta antivandalism: IK-10

Functionare la temperaturi : -20°C la + 55°C

Accesorii incluse: 2 flanse din policarbonat



Aplicatii: zone cu umiditate ridicata, statii de metrou, tuneluri, hale de productie, aer liber.



| RESIST T8 1 TUBO / 2 TUBOS | | |
|----------------------------|--------|--------|
| POTENCIA (W) | L (mm) | D (mm) |
| 18 | 709 | 83 |
| 36 | 1319 | 83 |
| 58 | 1624 | 83 |

| RESIST T5 1 TUBO / 2 TUBOS | | |
|----------------------------|--------|--------|
| POTENCIA (W) | L (mm) | D (mm) |
| ALTA EFICACIA | | |
| 14 | 671 | 83 |
| 21 | 966 | 83 |
| 28 | 1272 | 83 |
| 35 | 1574 | 83 |
| ALTO RENDIMIENTO | | |
| 24 | 671 | 83 |
| 39 | 966 | 83 |
| 49 | 1574 | 83 |
| 54 | 1272 | 83 |
| 80 | 1574 | 83 |



Pret: 687,23 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/resist-corp-de-iluminat-1-x-28w-1-272mm-83mm-31114>