



### **AIRFAL RESIST CORP DE ILUMINAT 2 X 54W 1.272MM 83MM**

Corpul din policarbonat UV de 3,5 mm grosime

Reflector lucios din aluminiu

Sistem de inchidere cu surub si garnitura din elastomer termoplastic.

Suruburi de prindere inoxidabile

Putere: 220-240V, 50-60Hz

Tip Lampa T 5

IP 68 (lampa poate fi scufundata la 2 m adancime)

Rezistenta antivandalism: IK-10

Functionare la temperaturi : -20°C la + 55°C

Accesorii incluse: 2 flanse din policarbonat



Aplicatii: zone cu umiditate ridicata, statii de metrou, tuneluri, hale de productie, aer liber.



RESIST T8 1 TUBO / 2 TUBOS		
POTENCIA (W)	L (mm)	D (mm)
18	709	83
36	1319	83
58	1624	83

RESIST T5 1 TUBO / 2 TUBOS		
POTENCIA (W)	L (mm)	D (mm)
<b>ALTA EFICACIA</b>		
14	671	83
21	966	83
28	1272	83
35	1574	83
<b>ALTO RENDIMIENTO</b>		
24	671	83
39	966	83
49	1574	83
54	1272	83
80	1574	83



Pret: 874,75 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/resist-corp-de-iluminat-2-x-54w-1-272mm-83mm-31141>