



### **IEK VU150M U2, 1 COMM. CHAIN, IP44,**

IEK limit switches are designed for switching AC and DC electric control circuits under the influence of control stops at certain points on the path of the controlled object. Switches are made in accordance with the requirements of GOST 30011.5.1. High switching endurance.

Contact group of copper with silver coating.

Compact dimensions.

Reliable fixation of conductors. Width sensor: 143.0

Diameter sensor: -

Height of sensor: 122.0

Length of sensor: 117.0

Rated operation current  $I_e$  at AC-15, 230 V: 10

Rated operation current  $I_e$  at DC-13, 125 V: 3

Rated operation current  $I_e$  at DC-13, 230 V: 2

Switching function: EV000533

Number of contacts as normally closed contact: 1

Number of contacts as normally open contact: 1

Number of contacts as change-over contact: 0

Type of interface: EV000494

Housing according to norm: EV000154

Material housing: EV000914

Coating housing: EV008895

Type of control element: EV000530

Alignment of the control element: EV000154

Type of electric connection: EV009299

Explosion safety category for gas: EV000494

Explosion safety category for dust: EV000494

Ambient temperature during operating: -45...+40

Degree of protection (IP): EV006418

Pret: 443,35 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/vu150m-u2-1-comm-chain-ip44-312007>