



Corpul din acryl anti UV de 5 mm grosime

Reflector lucios din aluminiu

Sistem de inchidere cu surub si garnitura din elastomer termoplastic.

Suruburi de prindere inoxidabile

Putere: 220-240V, 50-60Hz


Tip Lampa T 8

IP 68 (lampa poate fi scufundata la 2 m adancime)

Rezistenta antivandalism: IK-10

Functionare la temperaturi : -20 - +55 C

Acces



| TR2 T8 1 TUBO / 2 TUBOS |        |        |
|-------------------------|--------|--------|
| POTENCIA (W)            | L (mm) | D (mm) |
| 18                      | 709    | 86     |
| 36                      | 1319   | 86     |
| 58                      | 1624   | 86     |

| TR2 T5 1 TUBO / 2 TUBOS |        |        |
|-------------------------|--------|--------|
| POTENCIA (W)            | L (mm) | D (mm) |
| <b>ALTA EFICACIA</b>    |        |        |
| 14                      | 671    | 86     |
| 21                      | 966    | 86     |
| 28                      | 1272   | 86     |
| 35                      | 1574   | 86     |
| <b>ALTO RENDIMIENTO</b> |        |        |
| 24                      | 671    | 86     |
| 39                      | 966    | 86     |
| 49                      | 1574   | 86     |
| 54                      | 1272   | 86     |
| 80 (Solo 1 tubo)        | 1574   | 86     |



Pret: 1.100,59 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/lampa-medi-umede-tr2-ip68-1-1574-mm-2x35w-balast-edimabil>