



BTICINO LAMPA PENTRU CITIT REGLABILA LIVING LIGHT - 110 LUMENI - ANTRACIT - 1 MODUL

Descoper? Lamp? pentru citit reglabil? Living Light - 110 lumeni - Antracit - 1 modul din categoria Prize, Intreruptoare & Doze - Doza modulara, un produs cu codul L4362. Acesta ofer? caracteristici excelente:

Suitable for wall mounting Yes
Suitable for suspended mounting No
Suitable for ceiling mounting No
Suitable for built-in mounting Yes
Suitable for surface mounting No
Suitable for light line configuration No
Suitable for workplace according to EN 12464-1 No
Lamp type LED not exchangeable
With light source Yes
Lamp holder Other
Housing material Plastic
Housing colour Anthracite
Material cover Plastic, opal
Type of grid Matt
Voltage type AC
Nominal voltage 230-230 V
Nominal current 13-13 mA
Type of control gear LED operating device voltage-controlled
With control gear No
Dimming 0-10 V No
Dimming 1-10 V No
Dimming DALI No
Dimming DMX No
Dimming DSI No

Dimming potentiometer (integrated) No
Dimming LineSwitch No
Dimming manufacturer's proprietary system No
Dimming mains voltage modulation No
Dimming phase cut-off No
Dimming phase cut-on No
Dimming programmable No
Dimming RF No
Dimming Sine Wave Reduction No
Dimming Touch and Dim No
Dimming Zigbee No
Dimming with push-button No
No dim function Yes
Light sharing Symmetric
Beam angle Extreme wide beam $>80^\circ$
Light outlet Direct
Degree of protection (IP) IP41
Protection class None
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 No
Rated ambient temperature according to IEC 62722-2-1 -5-42 °C
Suitable for emergency lighting Yes
With movement sensor No
With light sensor Yes
Covering of the luminaire with thermally insulating material possible No
With air slots Yes
Suitable for lamp power 0.1-0.1 W
Max. system power 0.7 W
Rated luminous flux according to IEC 62722-2-1 242 lm
Colour of light White
Colour temperature 4000-5500 K
Colour rendering index CRI 80-89
Width 22 mm
Height/depth 170 mm
Length 44 mm
Built-in length 44 mm
Built-in width 22 mm
Built-in height/depth 33 mm
Operation by Bluetooth No
Compatible with Apple HomeKit No
Compatible with Google Assistant No
Compatible with Amazon Alexa No
IFTTT support available No
Operating / setting temperature -5-35 °C
Storage temperature -5-70 °C
Frequency 50-50 Hz
Standby consumption 132 mA
Estimated bulb life 40000 h
Mandatory neutral No
Halogen free Yes
Antimicrobial treatment No
Terminals capacity 1.5-1.5 mm²
Cable nature for connection Flexible or rigid
With socket outlet No
Fitted with rainproof plate protection No

With complementary luminous signal No

Supplied remote control No

Maximum Input cable diameter 2.5 mm

Vertical fixing center distance 4.5-4.5 mm

Cable support Screw cable clamp

Control mode Wired

Connected object No. Ideal pentru proiectele tale, asigurand eficien?? ?i calitate superioar?.

Pret: 581,00 LEI (TVA inclus)

Detalii online: <https://www.materialeelectrice.ro/lampa-pentru-citit-reglabila-living-light-110-lumeni-antracit-1-modul>