



**BTICINO LAMPA PENTRU CITIT REGLABILA LIVING LIGHT - 110 LUMENI - ALB - 1**  
**MODUL**

Descoper? Lamp? pentru citit reglabil? Living Light - 110 lumeni - Alb - 1 modul din categoria Prize, Intrerupatoare & Doze - Doza modulara, un produs cu codul N4362. Acesta ofer? caracteristici excelente:

Suitable for wall mounting Yes

Suitable for suspended mounting No

Suitable for ceiling mounting No

Suitable for built-in mounting Yes

Suitable for surface mounting No

Suitable for light line configuration No

Suitable for workplace according to EN 12464-1 No

Lamp type LED not exchangeable

With light source Yes

Lamp holder Other

Housing material Plastic

Housing colour White

Material cover Plastic, opal

Type of grid White

Voltage type AC

Nominal voltage 230-250 V

Nominal current 15-25 mA

Type of control gear LED operating device voltage-controlled

With control gear No

Dimming 0-10 V No

Dimming 1-10 V No

Dimming DALI No

Dimming DMX No

Dimming DSI No

Dimming potentiometer (integrated) No  
Dimming LineSwitch No  
Dimming manufacturer's proprietary system No  
Dimming mains voltage modulation No  
Dimming phase cut-off No  
Dimming phase cut-on No  
Dimming programmable No  
Dimming RF No  
Dimming Sine Wave Reduction No  
Dimming Touch and Dim No  
Dimming Zigbee No  
Dimming with push-button No  
No dim function Yes  
Light sharing Symmetric  
Beam angle Extreme wide beam  $>80^\circ$   
Light outlet Direct  
Degree of protection (IP) IP41  
Protection class None  
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 No  
Rated ambient temperature according to IEC 62722-2-1 -5-42 °C  
Suitable for emergency lighting Yes  
With movement sensor No  
With light sensor Yes  
Covering of the luminaire with thermally insulating material possible No  
With air slots Yes  
Suitable for lamp power 0.1-0.1 W  
Max. system power 0.7 W  
Rated luminous flux according to IEC 62722-2-1 242 lm  
Colour of light White  
Colour temperature 4000-5500 K  
Colour rendering index CRI 80-89  
Width 22 mm  
Height/depth 170 mm  
Length 44 mm  
Built-in length 44 mm  
Built-in width 22 mm  
Built-in height/depth 33 mm  
Operation by Bluetooth No  
Compatible with Apple HomeKit No  
Compatible with Google Assistant No  
Compatible with Amazon Alexa No  
IFTTT support available No  
Operating / setting temperature -5-40 °C  
Storage temperature -10-60 °C  
Frequency 50-50 Hz  
Standby consumption 132 mA  
Estimated bulb life 40000 h  
Mandatory neutral No  
RAL-number 9003  
Halogen free Yes  
Antimicrobial treatment No  
Terminals capacity 1.5-2.5 mm<sup>2</sup>  
Cable nature for connection Flexible or rigid  
With socket outlet No

Fitted with rainproof plate protection No

With complementary luminous signal No

Supplied remote control No

Maximum Input cable diameter 2.5 mm

Vertical fixing center distance 4.5-4.5 mm

Cable support Screw cable clamp

Control mode Wired

Connected object No. Ideal pentru proiectele tale, asigurand eficien?? ?i calitate superioar?.

Pret: 516,50 LEI (TVA inclus)

Detalii online: <https://www.materialeelectrice.ro/lampa-pentru-citit-reglabila-living-light-110-lumeni-alb-1-modul>