



**GEWISS STATIE DE INCARCARE - MODUL 2 IN AC1XSOCKET-OUTLET SHUKO 16A  
+ 1X3P + N + T 16A IEC 309 + 1X3P + N + T 32A IEC 309**

DATE TEHNICE

Mod incarcare (EN 61851)

2

Cutie de incarcare (EN 61851)

A-B

Tensiune de alimentare

230V

Frecventa

50Hz

Curent nominal

50 A

Putere max.  
22 kW

Timp incarcare  
9-1 h

Tip incarcare  
Lent

Protectie  
RCBO

Activare utilizatori  
Direct

Clasa de protectie IP  
IP54 (IP21 cand este introdusa fisa)

Material  
Termoplastic

Cod IK  
IK08

Suprafata externa  
RAL 6018 Rosu

Temperatura de functionare  
-25 +40 °C

Priza standard ITA/DE 16 A

1

Priza 3P+N+T 16A - IEC 309

1

Priza 3P+N+T 32A - IEC 309

1

Pret: 3.509,87 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/statie-de-incarcare-modul-2-in-ac1xsocket-outlet-shuko-16a-1x3p-n-t-16a-iec-309-1x3p-n-t-32a-iec-309-45193>